

EN


Special offer
International

SysCon
2017

Systemcontainer



haupa®



HAUPA SysCon product profile:

The basic idea behind the System Container is that the individual containers can be connected to each other to enable easy transport thus ensuring that simple access is provided to the contents of all containers. The containers may be offered in an empty state or with contents. If sold with contents, the contents should encompass assortments which include connection materials, fixture materials and tools.

In addition, the System Container should also acts as a transportation method of HAUPA Smart Hydraulics since the stacking concept enables the hydraulic pressing tools to be organised along with the appropriate cable lugs thus forming a system unit.

The four conical feet on the uppermost container are automatically guided into the correct position on the container below. The connection of the containers is made without expenditure of force, simply by placing them on top of one another: The snap closures on the side mean that the containers can be separated just as easily. The closures are pulled gently outwards which enables lifting.

When stacking, the container handles may be extended or folded in.

The design of the container ensures that water cannot enter the container.

Quality profile:

In order to ensure maximum stability, the containers are made from ABS. ABS is capable of withstanding both high and low temperatures without distorting or breaking.

The hard tests under a variety of conditions:

Fall tests with both empty and filled containers, stress tests, bounce tests and tensile tests have proved the robustness of the container and of components such as handles, closing flaps, snap closures etc. →

Target group:

Due to the high quality and the extreme robustness afforded by this product, the target users are professionals: Trade - Industry - Laboratories, etc.



Test simulation	Temperature	Fall height	Explanation/Observation
Fall test (empty)	+20° - 10°C	0,5 m	no damage to the product
		1,0 m	no damage to the product
		1,5 m	no damage to the product
		2,0 m	no damage, but the snap closures and closing flaps opened up
		2,5 m	minor break on the lid of the inner housing where the lid closes on the underside



Test simulation	Temperature	Fall height	Explanation/Observation
Ultimate stress test (Box closed)	+20° - 10°C	2,0 m	no damage to the product



Test simulation	Temperature	Fall height	Explanation/Observation
Fall test (Content 5 kg)	+20° - 10°C	0,5 m	no damage to the product
		1,0 m	no damage to the product
		1,5 m	no damage, but the snap closures and closing flaps opened up
		2,0 m	no damage, but the snap closures and closing flaps opened up



Test simulation	Temperature	Jump height	Explanation/Observation
Bounce test (90 kg)	+20° - 10°C	0,3 m	It is not possible to destroy the product by this test.



Test simulation	Temperature	Content	Explanation/Observation
Handle	+20° - 10°C	60 kg	No damage to the handle
		70 kg	no damage, but the snap closures and closing flaps opened up



Test simulation	Temperature	Content	Explanation/Observation
Snap closures and closing flaps	+20° - 10°C	60 kg	No damage to the snap closures No damage to the closing flaps
		70 kg	no damage, but the snap closures and closing flaps opened up

haupa®

... convincing solutions

SysCon S insulated terminals & 210761

Content: 1500 insulated terminals

- 1 220370 ABS plastic box „SysCon S“
- 1 220375 Assortment insert „SysCon“
- 1 220399 Foam „SysCon“ 395 x 300 x 10 mm
- 1 210761 Crimping pliers for insulated terminals 0,5 – 6 mm²

200	260350	Butt connectors, red	0,5/1,0	PVC
200	260352	Butt connectors, blue	1,5/2,5	PVC
100	260354	Butt connectors, yellow	4,0/6,0	PVC
200	260256	Ring terminals, red	0,5/1,0	M4 PVC
200	260258	Ring terminals, red	0,5/1,0	M5 PVC
200	260270	Ring terminals, blue	1,5/2,5	M4 PVC
200	260272	Ring terminals, blue	1,5/2,5	M5 PVC
100	260288	Ring terminals, yellow	4,0/6,0	M6 PVC
100	260290	Ring terminals, yellow	4,0/6,0	M8 PVC

Art. no. 220381

1.500-pcs.



SysCon S end sleeves & 210804

Content: 4100 insulated end sleeves

- 1 220370 ABS plastic box „SysCon S“
- 1 220375 Assortment insert „SysCon“
- 1 220399 Foam „SysCon“ 395 x 300 x 10 mm
- 1 210804 Crimping pliers for end sleeves 0,08 – 10 mm²

1000	270805	Insulated end sleeves, red	1/8
1000	270802	Insulated end sleeves, grey	0,75/8
500	270807	Insulated end sleeves, black	1,5/8
500	270811	Insulated end sleeves, blue	2,5/8
500	270815	Insulated end sleeves, grey	4/10
100	270818	Insulated end sleeves, yellow	6/12
200	270788	Twin-end sleeves, black	1,5/8
200	270792	Twin-end sleeves, blue	2,5/10
100	270796	Twin-end sleeves, grey	4,0/12

Art. no. 220382

4.100-pcs.



SysCon S end sleeves & 210842

Content: 4950 insulated end sleeves

- 1 220370 ABS plastic box „SysCon S“
- 1 220399 Foam „SysCon“ 395 x 300 x 10 mm
- 1 220375 Assortment insert „SysCon“
- 1 210842 Crimping pliers for end sleeves 1 – 10 mm²

1000	270805	Insulated end sleeves, red	1/8
1000	270807	Insulated end sleeves, black	1,5/8
1000	270811	Insulated end sleeves, blue	2,5/8
500	270815	Insulated end sleeves, grey	4/10
200	270818	Insulated end sleeves, yellow	6/12
200	270822	Insulated end sleeves, red	10/12
500	270806	Insulated end sleeves, red	1/12
300	270027	Insulated end sleeves, black	1,5/18
250	270813	Insulated end sleeves, blue	2,5/18

Art. no. 220390

4.950-pcs.



SysCon S insulated terminals / end sleeves & 210784

Content:

1	220370	ABS plastic box „SysCon S”		
1	220375	Assortment insert „SysCon”		
1	220399	Foam „SysCon” 395 x 300 x 10 mm		
1	210784	Crimping pliers for insulated terminals and end sleeves		
200	260350	Butt connectors, red	0,5-1,0	PVC
200	260352	Butt connectors, blue	1,5-2,5	PVC
200	260256	Ring terminals, red	0,5-1,0	M4 PVC
200	260272	Ring terminals, blue	1,5-2,5	M5 PVC
200	260274	Ring terminals, blue	1,5-2,5	M6 PVC
1000	270807	End sleeves, black	1,5/8	
1000	270811	End sleeves, blue	2,5/8	
500	270815	End sleeves, grey	4/10	
200	270818	End sleeves, yellow	6/12	

Art. no. 220391

3.700-pcs.



SysCon S cable lugs DIN & 210805 K

Content: 380 cable lugs DIN 46235, tinned

1	220370	ABS plastic box „SysCon S”		
1	221138	Baseplate for fixing 400 x 300 mm		
1	500273	Foam 390/195 x 150/100 x 30 mm		
1	210805 K	Crimping pliers hexagonal crimping 6 – 50 mm²		

50	290404	Cable lugs DIN	6	M6
50	290406	Cable lugs DIN	6	M8
50	290410	Cable lugs DIN	10	M6
50	290412	Cable lugs DIN	10	M8
30	290418	Cable lugs DIN	16	M8
40	290420	Cable lugs DIN	16	M10
25	290426	Cable lugs DIN	25	M8
25	290428	Cable lugs DIN	25	M10
20	290434	Cable lugs DIN	35	M8
20	290436	Cable lugs DIN	35	M10
20	290440	Cable lugs DIN	50	M8

Art. no. 220385

DIN, 380-pcs.



SysCon S cable lugs standard & 210805

Content: 380 cable lugse standard, tinned

1	220370	ABS plastic box „SysCon S”		
1	221138	Baseplate for fixing 400 x 300 mm		
1	500273	Foam 390/195 x 150/100 x 30 mm		
1	210805	Crimping plier hexagonal crimping 6 – 50 mm²		

50	290934	Cable lugs standard	6	M6
50	290936	Cable lugs standard	6	M8
50	290940	Cable lugs standard	10	M6
50	290942	Cable lugs standard	10	M8
30	290952	Cable lugs standard	16	M8
40	290954	Cable lugs standard	16	M10
25	290960	Cable lugs standard	25	M8
25	290962	Cable lugs standard	25	M10
20	290968	Cable lugs standard	35	M8
20	290970	Cable lugs standard	35	M10
20	290978	Cable lugs standard	50	M8

Art. no. 220386

standard, 380-pcs.



haupa®

...convincing solutions

SysCon M tool case set

Content: 17 tools

- 1 220372 ABS plastic box „SysCon M“
- 1 220374 Tools insert „SysCon“
- 1 220399 Foam „SysCon“ 395 x 300 x 10 mm
- 1 220379 Tool plate „SysCon“ 11 compartments

- 210696 Spanner for switch-cabinets
- 210695 Automatic wire stripper 0,2 – 6 mm²
- 263842 VDE electrical tape 19 mm x 20 mm, black
- 263844 VDE electrical tape 19 mm x 20 mm, white
- 263860 VDE electrical tape 19 mm x 20 mm, green/yellow
- 200031 Cable stripping knife 8 – 28 mm²
- 211200 2C-VDE combination plier DIN 5244, 185 mm
- 211204 2C-VDE side cutter DIN 5238 B, 165 mm
- 211208 2C-VDE telephone plier DIN 5236 A, 200 mm, straight
- 101870 2C-VDE screwdriver PZ/FL 1
- 101872 2C-VDE screwdriver PZ/FL 2
- 181910 2C-VDE screwdriver 2,5 x 75 mm
- 101914 2C-VDE screwdriver 3,5 x 100 mm
- 101916 2C-VDE screwdriver 4,0 x 100 mm
- 101920 2C-VDE screwdriver 6,5 x 150 mm
- 101942 2C-VDE screwdriver PH1
- 101944 2C-VDE screwdriver PH2



Art. no. 220392

17-pcs.



SysCon M „Start VDE“

Content: 22 tools

- 1 220372 ABS plastic box „SysCon M“
- 1 220374 Tools insert „SysCon“
- 1 220399 Foam „SysCon“ 395 x 300 x 10 mm
- 1 220379 Tool plate „SysCon“ 11 compartments

- 240042 Aluminium spirit levels 400 mm
- 180184 Engineers' hammer 300 g
- 210695 Wire stripper Super Plus 0,2 – 6 mm²
- 200043 Universal stripper 0,2 – 4 mm²
- 211200 2C-VDE combination pliers DIN 5244, 185 mm
- 211217 2C-VDE heavy duty side cutters DIN 5238 A, 170 mm
- 211208 2C-VDE telephone pliers DIN 5236 A, 200 mm, straight
- 101999 2C-VDE screwdrivers set
- 101870 2C-VDE screwdriver with PZ slot profile PZ/FL 1
- 101872 2C-VDE screwdriver with PZ slot profile PZ/FL 2
- 180092 Electricians' chisels 10 x 250 mm
- 100647 Voltage tester VDE/GS
- 150090 Carpenters' pencil
- 150024 Paint scrapers 40 mm
- 150004 Water brushes
- 240002 Folding rules 2 m
- 150006 Plaster cup



Art. no. 220608

22-pcs.



SysCon S „VDE-Socket“ ½"

complete with ½" tools. The plastic material used for socket sets is guaranteed to pass -40° C impact tests. This guarantee that the insulation value will not be compromised due to impact.

Content:

- 1 220370 ABS plastic box „SysCon S“
- 11 Sockets ½", 10, 11, 12, 13, 14, 17, 19, 22, 24, 27, 32 mm
- 5 Dies for hexagon screws ½", 4, 5, 6, 8, 10 mm
- 2 Extension ½", 125 and 250 mm
- 1 Reversible ratchet ½", 250 mm
- 1 T-slip-on-keys ½", 200 mm



Art. no. 220612

20-pcs., ½"



SysCon S „SocketMax“ ½" + ¼"

Content:

- 1 220370 ABS plastic box „SysCon S“
- 12 Sockets ¼" 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm
- 2 Extensions ¼" 50 - 150 mm
- 1 Adapter ⅜" x ¼" for sliding handle
- 1 Kardanjoint ¼"
- 1 Bit adapter ¼"
- 1 Reversible ratchet ¼"
- 13 Sockets ½" 10 - 11 - 12 - 13 - 14 - 15 - 17 - 19 - 22 - 24 - 27 - 30 - 32 mm
- 2 Extensions ½" 75 - 250 mm
- 1 Adapter ⅜" x ½" for sliding handle
- 1 Kardanjoint ½"
- 1 Reversible ratchet ½"
- 1 Ratchet screwdriver „Flex“
- 2 Adapter 50 - 80 mm
- 4 Bit ¼" 50 mm PH 0 - 1 - 2 - 3
- 4 Bit ¼" 50 mm PZ 0 - 1 - 2 - 3
- 2 Bit ¼" 50 mm PZ/FL 1 - 2
- 4 Bit ¼" 50 mm SQ 3 - 4 - 5 - 6 mm
- 6 Bit ¼" 50 mm hexagon 2 - 2.5 - 3 - 4 - 5 - 6

Art. no. 220600

55-pcs., ½" + ¼"



SysCon S socket wrench set „Torque“ ¼"

Content:

- 1 220370 ABS plastic box „SysCon S“
- 12 sockets ¼" 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm
- 5 sockets ¼" Tx, long version T20, T25, T27, T30, T40
- 4 sockets ¼" Hex, long version 4, 5, 6, 8 without hole
- 2 extension bar ¼", 50 and 150 mm
- 1 adapter ⅜" x ¼" for extension bar work as T-handle
- 1 universal joint ¼"
- 1 bit adapter ¼"
- 1 reversible ratchet ¼"
- 1 torque wrenches ¼", 5 - 25 Nm
- 1 ratchet screwdriver „Flex“
- 2 adapter 50 and 80 mm
- 4 bits ¼" 50 mm PH 0 - 1 - 2 - 3
- 4 bits ¼" 50 mm PZ 0 - 1 - 2 - 3
- 2 bits ¼" 50 mm PZ/FL 1 - 2
- 4 bits ¼" 50 mm SQ 3 - 4 - 5 - 6 mm
- 6 bits ¼" 50 mm hexagonal 2 - 2.5 - 3 - 4 - 5 - 6

Art. no. 220640

51-pcs., ¼"



SysCon S socket wrench set „Torque“ ½"

Content:

- 1 220370 ABS plastic box „SysCon S“
- 17 sockets ½"
- 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 19 - 21 - 22 - 23 - 24 - 27 - 30 - 32 mm
- 5 sockets ½" Tx, long version T30, T40, T45, T50, T55
- 4 sockets ½" Hex, long version 8, 10, 12, 14 without hole
- 2 extension bar ½", 75 and 250 mm
- 1 adapter ⅜" x ½" for extension bar work as T-handle
- 1 universal joint ½"
- 1 reversible ratchet ½"
- 1 torque wrenches ½", 21 - 119 Nm

Art. no. 220642

32-pcs., ½"



haupa®

...convincing solutions

ABS plastic box SysCon S

outer dimensions: 464 x 353 x 142 mm
inner dimensions: 400 x 300 x 80 mm

without inlay

Art. no. 220370

empty



ABS plastic box SysCon M

outer dimensions: 464 x 353 x 212 mm
inner dimensions: 400 x 300 x 150 mm

without inlay

Art. no. 220372

empty



ABS plastic box SysCon XL

outer dimensions: 464 x 353 x 362 mm
inner dimensions: 400 x 300 x 312 mm

without inlay

Art. no. 220650

empty



ABS plastic box SysCon S mobil

outer dimensions: 464 x 353 x 142 mm
inner dimensions: 400 x 300 x 80 mm
2 swivel rolls
2 swivel rolls with locking function

without inlay

Art. no. 220371

on rolls, empty



ABS plastic box SysCon M mobil

outer dimensions: 464 x 353 x 212 mm
inner dimensions: 400 x 300 x 150 mm
2 swivel rolls
2 swivel rolls with locking function

without inlay

Art. no. 220380

on rolls, empty



ABS plastic box SysCon XL mobil

outer dimensions: 464 x 353 x 362 mm
inner dimensions: 400 x 300 x 312 mm
2 swivel rolls
2 swivel rolls with locking function

without inlay

Art. no. 220651

on rolls, empty



haupa®

... convincing solutions

SysCon XL „SafetySet“

Content:

- 1 220650 ABS plastic box „SysCon XL“
- 1 120007 VDE gloves 1000 V size 10
- 1 120008 rot Electricians' protection helmet
- 1 120012 Safety fuse grip
- 1 120010 VDE electricians protection visor 1000 V

Art. no. 220652

5-pcs



Hand truck „SysCon Trolley“

Properties:

- up to 60 kg
- sturdy aluminum frame
- Hand truck shovel: 390 x 280 mm




Art. no. 220602

390 x 1000 x 280 mm



Box S | Box M | Box L | Box XL

ABS, conical design for stacking with snap on base plate (Art. no. 221138)



Art. no. 221134

49 x 49 x 72 mm



Art. no. 221135

98 x 49 x 72 mm



Art. no. 221136

98 x 98 x 72 mm



Art. no. 221137

148 x 98 x 72 mm



Corresponding inserts for our SysCon systemcontainers can be found in our main catalogue starting on page 371.